

For the love of colour

# **Technical Data Sheet**

Painthouse Interior Matt Finish Paint





## **General product description**

Painthouse colours are water-based, non-toxic, and emission free with near-zero volatile organic compound (VOC); providing a smooth, rich and non-reflective, matt finish. Ideal for creating a stylish and contemporary look for interior walls and ceilings.

## **Benefits**

## Suitable for interior walls, ceilings and wood

Available in a wide range of colours (including deep shades), all Painthouse colours are durable, water-based and wipeable. What's more, Painthouse paint has excellent coverage and is touch dry in 30 minutes when applied at room temperature, giving a smooth, rich, high-quality matt finish.

## Kinder to you and your family

Having achieved the best possible emission classifications, all Painthouse colours are near-zero VOC (0.001g/L) and therefore essentially emission free, making Painthouse perfect for anyone that may suffer from allergies and breathing related conditions associated with exposure to chemical emissions. Painthouse is toxin free, child safe and pet friendly as it is tested and approved to meet the Toy Safety Standard BS EN 71-3: 2013.

## **Environmentally friendly**

Painthouse colours have the added benefit of being kinder to the environment. Painthouse is water based, low hazard and with a rating of near-zero VOC emissions, means that unlike a lot of interior paints which contain hazardous chemicals and contribute heavily to air pollution Painthouse formula is environmentally friendly.

### **Technical data**

Туре	Water-based emulsion paint
Use	Interior walls, ceilings and wood
Colours	98 colours (including deep shades)
Finish	Matt 2.5 (units measured at 60°)
Touch Dry	30 mins
Recoat time	2 hours
Number of coats	2 (see precautions)
Application	Brush or roller
Coverage	12m <sup>2</sup> /L
voc	Minimal (<0.001g/L) Indoor Air Comfort GOLD - Pass VOC emission test report M1 - Pass Child Safe EN 71-3 - Pass
Shelf life	12 months, when stored in a cool, dry and well ventilated area (between 5 to 25 °C)
Packaging	750ml, 2.5L tins
Health and safety	Non-hazardous



## **Application**

## **Preparation**

Ensure adequate ventilation. Before painting ensure the surface is clean, dry and free from grease, dirt, dust and other contaminants. Remove any old or flaking paint until the surface is sound.

## **Painting**

Stir thoroughly to ensure the paint is completely mixed. Apply 2 coats with a brush or roller, leave the first coat to dry for a minimum of 2 hours before applying the second coat. Do not apply in very damp conditions or extreme temperature. Seal absorbent surfaces with this product thinned with 10% water. If the surface is very absorbent use a proprietary sealer.

## Clean up

Remove excess paint from the brush or roller on the rim of the paint tin and then wash it with water. Store the paint with the lid firmly attached at room temperature in a well ventilated place.

## **Precautions**

- As both natural and artificial light in a room can impact and have a bearing on the final colour of Painthouse colours, we strongly advise you order a tester tube, or Painthouse Pal to check the colour is satisfactory and as expected.
- If the colour change is significant, please be advised that it may be necessary to apply more than 2 coats of Painthouse.
- When applying onto bare wood, the paint can sometimes be applied without a primer however, before full application is attempted apply to a small area to check compatibility. If experiencing adhesion or staining issues, a proprietary wood primer, knot sealer or stain blocker should be used.
- When applying on to previously painted surfaces, particularly gloss and mid-sheen paints ensure you:
  - 1. Clean the surface to remove any grease, dirt or dust
  - 2. Abrade the surface completely with sandpaper (e.g. 150grit)
  - 3. Apply a proprietary tie coat to give good adhesion and then paint.
- Please note, Painthouse colours are for indoor/internal use only.

## Health and safety

Keep container tightly closed when not in use. Avoid contact with eyes and skin. In case of contact with eyes, rinse immediately with water and seek medical advice. After contact with skin wash immediately with plenty of soap and water. Do not empty into drains or watercourses. Dispose of contents and container in accordance with local, regional, national or international regulations. Contact the local Environmental Department for further instructions on waste disposal. Keep out of reach of children. Contains 1.2- Benzisothiazolin-3-one.

Detailed information can be found in the relevant Safety Data Sheet.



For the love of colour

## painthouse.co.uk

Painthouse is a registered trademark of Polyseam Ltd. All rights reserved. The colour names, colour reference or any other portion of this document cannot be reproduced in any form without written permission from Painthouse.

As a part of our policy of on-going product development and testing, we reserve the right to modify, alter or change product specifications without giving notice. All information contained in this document is given in good faith and is provided for guidance only. Any drawings provided are for illustrative purposes only. As Polyseam has no control over the methods or competence of installation and of prevailing site conditions, no warranties, expressed or implied, are intended to be given as to the actual performance of the product mentioned or referred to herein and no liability whatsoever will be accepted for any loss, damage or injury arising from the use of the information given.